

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 1

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
00170208114	PRAKASH KUMAR	36303	ETME303	HEAT TRANSFER	4	17	41	58	4
00170208114	PRAKASH KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	24	48	72	1
00170208114	PRAKASH KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	49	70	3
00170208114	PRAKASH KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	A	24	0
00270208114	ANKIT SHARMA	36303	ETME303	HEAT TRANSFER	4	17	23	40	0
00270208114	ANKIT SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
00270208114	ANKIT SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	43	63	3
00270208114	ANKIT SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	23	A	23	0
00370208114	PRIYBRAT SHUKLA	36303	ETME303	HEAT TRANSFER	4	20	A	20	0
00370208114	PRIYBRAT SHUKLA	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
00370208114	PRIYBRAT SHUKLA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	A	19	0
00370208114	PRIYBRAT SHUKLA	36455	ETME455	LAB BASED ON ELECTIVE	1	21	A	21	0
00470208114	AMAN PANCHAL	36303	ETME303	HEAT TRANSFER	4	16	30	46	0
00470208114	AMAN PANCHAL	36351	ETME351	HEAT TRANSFER LAB	1	25	50	75	1
00470208114	AMAN PANCHAL	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	40	61	3
00470208114	AMAN PANCHAL	36455	ETME455	LAB BASED ON ELECTIVE	1	25	52	77	1
00570208114	SOURABH KAUSHIK	36303	ETME303	HEAT TRANSFER	4	17	25	42	0
00570208114	SOURABH KAUSHIK	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
00570208114	SOURABH KAUSHIK	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	46	65	3
00570208114	SOURABH KAUSHIK	36455	ETME455	LAB BASED ON ELECTIVE	1	24	A	24	0

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 2

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
00570208613	SAGAR KAPOOR	36303	ETME303	HEAT TRANSFER	4	19	27	46	0
00570208613	SAGAR KAPOOR	36351	ETME351	HEAT TRANSFER LAB	1	25	52	77	1
00570208613	SAGAR KAPOOR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	42	62	3
00570208613	SAGAR KAPOOR	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1
01770208613	DIKSHANT RAWAT	36303	ETME303	HEAT TRANSFER	4	19	A	19	0
01770208613	DIKSHANT RAWAT	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
01770208613	DIKSHANT RAWAT	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	17	A	17	0
01770208613	DIKSHANT RAWAT	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
02070208613	SONU	36303	ETME303	HEAT TRANSFER	4	18	34	52	4
02070208613	SONU	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
02070208613	SONU	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	45	66	3
02070208613	SONU	36455	ETME455	LAB BASED ON ELECTIVE	1	23	A	23	0
02370208613	AMMAR AHMED	36303	ETME303	HEAT TRANSFER	4	A	A	70	1
02370208613	AMMAR AHMED	36351	ETME351	HEAT TRANSFER LAB	1	20	50	70	1
02370208613	AMMAR AHMED	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	15	35	50	3
02370208613	AMMAR AHMED	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1
02470208613	FAISAL FARID	36303	ETME303	HEAT TRANSFER	4	15	18	33	0
02470208613	FAISAL FARID	36351	ETME351	HEAT TRANSFER LAB	1	24	49	73	1
02470208613	FAISAL FARID	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	35	55	3
02470208613	FAISAL FARID	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 3

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
02670208613	K ISAAC	36303	ETME303	HEAT TRANSFER	4	18	34	52	4
02670208613	K ISAAC	36351	ETME351	HEAT TRANSFER LAB	1	25	50	75	1
02670208613	K ISAAC	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	36	56	3
02670208613	K ISAAC	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1
02870208613	SHUBHAM	36303	ETME303	HEAT TRANSFER	4	15	A	15	0
02870208613	SHUBHAM	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
02870208613	SHUBHAM	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	A	21	0
02870208613	SHUBHAM	36455	ETME455	LAB BASED ON ELECTIVE	1	23	A	23	0
03170208613	HIMANSHU SYORAN	36303	ETME303	HEAT TRANSFER	4	19	28	47	0
03170208613	HIMANSHU SYORAN	36351	ETME351	HEAT TRANSFER LAB	1	26	48	74	1
03170208613	HIMANSHU SYORAN	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	44	64	3
03170208613	HIMANSHU SYORAN	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1
03870208613	MUKESH KUMAR	36303	ETME303	HEAT TRANSFER	4	17	10	27	0
03870208613	MUKESH KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
03870208613	MUKESH KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	42	61	3
03870208613	MUKESH KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	25	A	25	0
04370208613	ABHISHEK KUMAR	36303	ETME303	HEAT TRANSFER	4	20	16	36	0
04370208613	ABHISHEK KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	20	A	20	0
04370208613	ABHISHEK KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	38	58	3
04370208613	ABHISHEK KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	20	A	20	0

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 4

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
04470208613	DEEPAK KUMAR	36303	ETME303	HEAT TRANSFER	4	20	29	49	0
04470208613	DEEPAK KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
04470208613	DEEPAK KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	36	56	3
04470208613	DEEPAK KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	23	A	23	0
04570208613	HARSH GOYAL	36303	ETME303	HEAT TRANSFER	4	19	29	48	0
04570208613	HARSH GOYAL	36351	ETME351	HEAT TRANSFER LAB	1	26	50	76	1
04570208613	HARSH GOYAL	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	43	62	3
04570208613	HARSH GOYAL	36455	ETME455	LAB BASED ON ELECTIVE	1	25	52	77	1
04770208613	VIKAS YADAV	36303	ETME303	HEAT TRANSFER	4	15	32	47	0
04770208613	VIKAS YADAV	36351	ETME351	HEAT TRANSFER LAB	1	25	48	73	1
04770208613	VIKAS YADAV	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	42	62	3
04770208613	VIKAS YADAV	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1
05270208613	VAIBHAV SAINI	36303	ETME303	HEAT TRANSFER	4	A	A	A	1
05270208613	VAIBHAV SAINI	36351	ETME351	HEAT TRANSFER LAB	1	20	48	68	1
05270208613	VAIBHAV SAINI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	A	19	0
05270208613	VAIBHAV SAINI	36455	ETME455	LAB BASED ON ELECTIVE	1	24	46	70	1
05570208613	RUPESH	36303	ETME303	HEAT TRANSFER	4	18	38	56	4
05570208613	RUPESH	36351	ETME351	HEAT TRANSFER LAB	1	25	48	73	1
05570208613	RUPESH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	46	65	3
05570208613	RUPESH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 5

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
05770208613	RAKSHAK BHAT	36303	ETME303	HEAT TRANSFER	4	A	A	A	0
05770208613	RAKSHAK BHAT	36351	ETME351	HEAT TRANSFER LAB	1	A	A	A	0
05770208613	RAKSHAK BHAT	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	A	A	A	0
05770208613	RAKSHAK BHAT	36455	ETME455	LAB BASED ON ELECTIVE	1	A	52	52	1
05870208613	RAVI DUTT	36303	ETME303	HEAT TRANSFER	4	15	27	42	0
05870208613	RAVI DUTT	36351	ETME351	HEAT TRANSFER LAB	1	25	45	70	1
05870208613	RAVI DUTT	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	55	75	3
05870208613	RAVI DUTT	36455	ETME455	LAB BASED ON ELECTIVE	1	23	52	75	1
00170208115	AMIT KUMAR	36303	ETME303	HEAT TRANSFER	4	20	48	68	4
00170208115	AMIT KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	23	48	71	1
00170208115	AMIT KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	66	87	3
00170208115	AMIT KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	47	71	1
00270208115	CHANCHAL	36303	ETME303	HEAT TRANSFER	4	17	38	55	4
00270208115	CHANCHAL	36351	ETME351	HEAT TRANSFER LAB	1	22	44	66	1
00270208115	CHANCHAL	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	50	71	3
00270208115	CHANCHAL	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1
00270208614	VIKAS CHAUDHARY	36303	ETME303	HEAT TRANSFER	4	21	22	43	0
00270208614	VIKAS CHAUDHARY	36351	ETME351	HEAT TRANSFER LAB	1	23	48	71	1
00270208614	VIKAS CHAUDHARY	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	45	66	3
00270208614	VIKAS CHAUDHARY	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 6

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
00370208115	KARAN GUPTA	36303	ETME303	HEAT TRANSFER	4	21	37	58	4
00370208115	KARAN GUPTA	36351	ETME351	HEAT TRANSFER LAB	1	24	50	74	1
00370208115	KARAN GUPTA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	51	73	3
00370208115	KARAN GUPTA	36455	ETME455	LAB BASED ON ELECTIVE	1	25	51	76	1
00470208115	MANOJ KUMAR	36303	ETME303	HEAT TRANSFER	4	19	19	38	0
00470208115	MANOJ KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	22	47	69	1
00470208115	MANOJ KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	38	59	3
00470208115	MANOJ KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1
00570208115	PRASHANK	36303	ETME303	HEAT TRANSFER	4	20	33	53	4
00570208115	PRASHANK	36351	ETME351	HEAT TRANSFER LAB	1	25	46	71	1
00570208115	PRASHANK	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	A	38	38	0
00570208115	PRASHANK	36455	ETME455	LAB BASED ON ELECTIVE	1	23	47	70	1
00670208115	SIDDHARTH	36303	ETME303	HEAT TRANSFER	4	21	38	59	4
00670208115	SIDDHARTH	36351	ETME351	HEAT TRANSFER LAB	1	24	47	71	1
00670208115	SIDDHARTH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	46	66	3
00670208115	SIDDHARTH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1
00770208115	VAIBHAV TYAGI	36303	ETME303	HEAT TRANSFER	4	19	40	59	4
00770208115	VAIBHAV TYAGI	36351	ETME351	HEAT TRANSFER LAB	1	24	49	73	1
00770208115	VAIBHAV TYAGI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	55	76	3
00770208115	VAIBHAV TYAGI	36455	ETME455	LAB BASED ON ELECTIVE	1	26	51	77	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 7

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
00770208614	MD SHADAB HUSSAIN	36303	ETME303	HEAT TRANSFER	4	16	A	16	0
00770208614	MD SHADAB HUSSAIN	36351	ETME351	HEAT TRANSFER LAB	1	22	A	22	0
00770208614	MD SHADAB HUSSAIN	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	15	A	15	0
00770208614	MD SHADAB HUSSAIN	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
00870208614	SAHIL SHARMA	36303	ETME303	HEAT TRANSFER	4	16	14	30	0
00870208614	SAHIL SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	23	A	23	0
00870208614	SAHIL SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	33	53	3
00870208614	SAHIL SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	25	48	73	1
01070208614	ABHINEET KUMAR	36303	ETME303	HEAT TRANSFER	4	17	A	17	0
01070208614	ABHINEET KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	24	A	24	0
01070208614	ABHINEET KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	A	20	0
01070208614	ABHINEET KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
01170208614	VISHAL SHARMA	36303	ETME303	HEAT TRANSFER	4	23	31	54	4
01170208614	VISHAL SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	24	50	74	1
01170208614	VISHAL SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	50	72	3
01170208614	VISHAL SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1
01370208614	DEEPAK MISHRA	36303	ETME303	HEAT TRANSFER	4	15	A	15	0
01370208614	DEEPAK MISHRA	36351	ETME351	HEAT TRANSFER LAB	1	25	A	25	0
01370208614	DEEPAK MISHRA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	18	A	18	0
01370208614	DEEPAK MISHRA	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 8

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
01470208614	MANOJ KUMAR	36303	ETME303	HEAT TRANSFER	4	14	A	14	0
01470208614	MANOJ KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	23	A	23	0
01470208614	MANOJ KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	17	A	17	0
01470208614	MANOJ KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
01570208614	RAMAN PUSHPAKAR	36303	ETME303	HEAT TRANSFER	4	22	30	52	4
01570208614	RAMAN PUSHPAKAR	36351	ETME351	HEAT TRANSFER LAB	1	24	47	71	1
01570208614	RAMAN PUSHPAKAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	34	54	3
01570208614	RAMAN PUSHPAKAR	36455	ETME455	LAB BASED ON ELECTIVE	1	23	48	71	1
01670208614	DAMAN POPLI	36303	ETME303	HEAT TRANSFER	4	23	66	89	4
01670208614	DAMAN POPLI	36351	ETME351	HEAT TRANSFER LAB	1	25	46	71	1
01670208614	DAMAN POPLI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	62	84	3
01670208614	DAMAN POPLI	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1
01770208614	SOUMYA SRIVASTAVA	36303	ETME303	HEAT TRANSFER	4	19	49	68	4
01770208614	SOUMYA SRIVASTAVA	36351	ETME351	HEAT TRANSFER LAB	1	23	45	68	1
01770208614	SOUMYA SRIVASTAVA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	53	75	3
01770208614	SOUMYA SRIVASTAVA	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
01870208614	AMIT SHARMA	36303	ETME303	HEAT TRANSFER	4	20	37	57	4
01870208614	AMIT SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	24	47	71	1
01870208614	AMIT SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	41	61	3
01870208614	AMIT SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	25	49	74	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER



REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 9

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
02070208614	DEEPAK	36303	ETME303	HEAT TRANSFER	4	18	A	18	0
02070208614	DEEPAK	36351	ETME351	HEAT TRANSFER LAB	1	22	A	22	0
02070208614	DEEPAK	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	A	20	0
02070208614	DEEPAK	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
02270208614	VASU GAKHER	36303	ETME303	HEAT TRANSFER	4	18	A	18	0
02270208614	VASU GAKHER	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
02270208614	VASU GAKHER	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	A	19	0
02270208614	VASU GAKHER	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
02370208614	MOHIT KUMAR GAUR	36303	ETME303	HEAT TRANSFER	4	23	45	68	4
02370208614	MOHIT KUMAR GAUR	36351	ETME351	HEAT TRANSFER LAB	1	24	45	69	1
02370208614	MOHIT KUMAR GAUR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	45	66	3
02370208614	MOHIT KUMAR GAUR	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1
02570208614	SHUBHAM TYAGI	36303	ETME303	HEAT TRANSFER	4	19	13	32	0
02570208614	SHUBHAM TYAGI	36351	ETME351	HEAT TRANSFER LAB	1	22	46	68	1
02570208614	SHUBHAM TYAGI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	37	58	3
02570208614	SHUBHAM TYAGI	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1
02770208614	NISHANT NAYAN	36303	ETME303	HEAT TRANSFER	4	15	24	39	0
02770208614	NISHANT NAYAN	36351	ETME351	HEAT TRANSFER LAB	1	22	47	69	1
02770208614	NISHANT NAYAN	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	38	59	3
02770208614	NISHANT NAYAN	36455	ETME455	LAB BASED ON ELECTIVE	1	23	49	72	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 10

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
02870208614	HARMINDER SINGH	36303	ETME303	HEAT TRANSFER	4	19	37	56	4
02870208614	HARMINDER SINGH	36351	ETME351	HEAT TRANSFER LAB	1	23	48	71	1
02870208614	HARMINDER SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	52	73	3
02870208614	HARMINDER SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	45	69	1
03070208614	VISHESH SINGH	36303	ETME303	HEAT TRANSFER	4	24	55	79	4
03070208614	VISHESH SINGH	36351	ETME351	HEAT TRANSFER LAB	1	25	50	75	1
03070208614	VISHESH SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	60	81	3
03070208614	VISHESH SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	25	48	73	1
03270208614	GUNJAN PANDEY	36303	ETME303	HEAT TRANSFER	4	21	32	53	4
03270208614	GUNJAN PANDEY	36351	ETME351	HEAT TRANSFER LAB	1	23	45	68	1
03270208614	GUNJAN PANDEY	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	49	70	3
03270208614	GUNJAN PANDEY	36455	ETME455	LAB BASED ON ELECTIVE	1	25	49	74	1
03370208614	RATUL BABBAR	36303	ETME303	HEAT TRANSFER	4	18	27	45	0
03370208614	RATUL BABBAR	36351	ETME351	HEAT TRANSFER LAB	1	22	47	69	1
03370208614	RATUL BABBAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	41	61	3
03370208614	RATUL BABBAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
03570208614	OJASVI VERMA	36303	ETME303	HEAT TRANSFER	4	15	40	55	4
03570208614	OJASVI VERMA	36351	ETME351	HEAT TRANSFER LAB	1	21	46	67	1
03570208614	OJASVI VERMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	48	69	3
03570208614	OJASVI VERMA	36455	ETME455	LAB BASED ON ELECTIVE	1	24	50	74	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 11

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE :24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
03770208614	ASIF SAIFI	36303	ETME303	HEAT TRANSFER	4	21	33	54	4
03770208614	ASIF SAIFI	36351	ETME351	HEAT TRANSFER LAB	1	23	45	68	1
03770208614	ASIF SAIFI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	35	55	3
03770208614	ASIF SAIFI	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1
03970208614	VIKRAM SINGH	36303	ETME303	HEAT TRANSFER	4	15	40	55	4
03970208614	VIKRAM SINGH	36351	ETME351	HEAT TRANSFER LAB	1	22	45	67	1
03970208614	VIKRAM SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	43	62	3
03970208614	VIKRAM SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
04170208614	KRISHNA KUMAR	36303	ETME303	HEAT TRANSFER	4	22	A	22	0
04170208614	KRISHNA KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	24	A	24	0
04170208614	KRISHNA KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	18	A	18	0
04170208614	KRISHNA KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
04270208613	VIVEK PANWAR	36303	ETME303	HEAT TRANSFER	4	A	A	0	0
04270208613	VIVEK PANWAR	36351	ETME351	HEAT TRANSFER LAB	1	A	A	0	0
04270208613	VIVEK PANWAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	18	31	49	0
04270208613	VIVEK PANWAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
04370208614	VATSLA SHARMA	36303	ETME303	HEAT TRANSFER	4	15	28	43	0
04370208614	VATSLA SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	22	50	72	1
04370208614	VATSLA SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	33	54	3
04370208614	VATSLA SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	26	50	76	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 12

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
04870208614	BHARTENDU VIMAL	36303	ETME303	HEAT TRANSFER	4	15	A	15	0
04870208614	BHARTENDU VIMAL	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
04870208614	BHARTENDU VIMAL	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	A	A	0	0
04870208614	BHARTENDU VIMAL	36455	ETME455	LAB BASED ON ELECTIVE	1	A	A	0	0
05070208614	OMESH PRATAP SINGH	36303	ETME303	HEAT TRANSFER	4	19	40	59	4
05070208614	OMESH PRATAP SINGH	36351	ETME351	HEAT TRANSFER LAB	1	24	40	64	1
05070208614	OMESH PRATAP SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	41	62	3
05070208614	OMESH PRATAP SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	46	70	1
05170208614	UMESH KUMAR	36303	ETME303	HEAT TRANSFER	4	19	31	50	4
05170208614	UMESH KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	23	45	68	1
05170208614	UMESH KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	43	64	3
05170208614	UMESH KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	25	45	70	1
05470208614	NEELESH KUMAR	36303	ETME303	HEAT TRANSFER	4	19	33	52	4
05470208614	NEELESH KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	24	50	74	1
05470208614	NEELESH KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	47	67	3
05470208614	NEELESH KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1
05670208614	SHASHANK SHAH	36303	ETME303	HEAT TRANSFER	4	23	39	62	4
05670208614	SHASHANK SHAH	36351	ETME351	HEAT TRANSFER LAB	1	25	48	73	1
05670208614	SHASHANK SHAH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	43	63	3
05670208614	SHASHANK SHAH	36455	ETME455	LAB BASED ON ELECTIVE	1	25	45	70	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 13

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
05970208614	DEEPAK	36303	ETME303	HEAT TRANSFER	4	19	20	39	0
05970208614	DEEPAK	36351	ETME351	HEAT TRANSFER LAB	1	23	49	72	1
05970208614	DEEPAK	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	36	56	3
05970208614	DEEPAK	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1
06070208614	SUNDER KUMAR	36303	ETME303	HEAT TRANSFER	4	23	39	62	4
06070208614	SUNDER KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	25	48	73	1
06070208614	SUNDER KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	43	63	3
06070208614	SUNDER KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
06770208614	SUMIT KUMAR	36303	ETME303	HEAT TRANSFER	4	24	22	46	0
06770208614	SUMIT KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	26	50	76	1
06770208614	SUMIT KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	18	41	59	3
06770208614	SUMIT KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	23	51	74	1
06870208614	RUCHI SINGH	36303	ETME303	HEAT TRANSFER	4	16	25	41	0
06870208614	RUCHI SINGH	36351	ETME351	HEAT TRANSFER LAB	1	22	49	71	1
06870208614	RUCHI SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	38	59	3
06870208614	RUCHI SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
07070208614	VIPIN KUMAR GAUTAM	36303	ETME303	HEAT TRANSFER	4	18	30	48	0
07070208614	VIPIN KUMAR GAUTAM	36351	ETME351	HEAT TRANSFER LAB	1	23	50	73	1
07070208614	VIPIN KUMAR GAUTAM	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	44	65	3
07070208614	VIPIN KUMAR GAUTAM	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 14

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
07170208614	MANISHA RANI	36303	ETME303	HEAT TRANSFER	4	17	40	57	4
07170208614	MANISHA RANI	36351	ETME351	HEAT TRANSFER LAB	1	24	42	66	1
07170208614	MANISHA RANI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	54	76	3
07170208614	MANISHA RANI	36455	ETME455	LAB BASED ON ELECTIVE	1	23	45	68	1
07270208614	AVNISH	36303	ETME303	HEAT TRANSFER	4	16	33	49	0
07270208614	AVNISH	36351	ETME351	HEAT TRANSFER LAB	1	22	44	66	1
07270208614	AVNISH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	41	61	3
07270208614	AVNISH	36455	ETME455	LAB BASED ON ELECTIVE	1	24	46	70	1
07370208614	AMIT KUMAR	36303	ETME303	HEAT TRANSFER	4	19	A	19	0
07370208614	AMIT KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	23	45	68	1
07370208614	AMIT KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	A	21	0
07370208614	AMIT KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	26	47	73	1
07570208614	SURAJ KUMAR TIWARI	36303	ETME303	HEAT TRANSFER	4	21	12	33	0
07570208614	SURAJ KUMAR TIWARI	36351	ETME351	HEAT TRANSFER LAB	1	24	47	71	1
07570208614	SURAJ KUMAR TIWARI	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	25	46	0
07570208614	SURAJ KUMAR TIWARI	36455	ETME455	LAB BASED ON ELECTIVE	1	24	49	73	1
07670208614	AJAY PATHAK	36303	ETME303	HEAT TRANSFER	4	22	A	22	0
07670208614	AJAY PATHAK	36351	ETME351	HEAT TRANSFER LAB	1	23	A	23	0
07670208614	AJAY PATHAK	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	22	A	22	0
07670208614	AJAY PATHAK	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 15

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
07870208614	MOHD. ASIF	36303	ETME303	HEAT TRANSFER	4	19	A	19	0
07870208614	MOHD. ASIF	36351	ETME351	HEAT TRANSFER LAB	1	21	A	21	0
07870208614	MOHD. ASIF	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	A	21	0
07870208614	MOHD. ASIF	36455	ETME455	LAB BASED ON ELECTIVE	1	22	A	22	0
08070208614	JATIN KUMAR	36303	ETME303	HEAT TRANSFER	4	16	34	50	4
08070208614	JATIN KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	21	47	68	1
08070208614	JATIN KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	47	66	3
08070208614	JATIN KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1
08170208614	VIVEK SHARMA	36303	ETME303	HEAT TRANSFER	4	20	29	49	0
08170208614	VIVEK SHARMA	36351	ETME351	HEAT TRANSFER LAB	1	23	48	71	1
08170208614	VIVEK SHARMA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	33	54	3
08170208614	VIVEK SHARMA	36455	ETME455	LAB BASED ON ELECTIVE	1	24	48	72	1
08270208614	SONU KUMAR MAHTO	36303	ETME303	HEAT TRANSFER	4	20	46	66	4
08270208614	SONU KUMAR MAHTO	36351	ETME351	HEAT TRANSFER LAB	1	24	46	70	1
08270208614	SONU KUMAR MAHTO	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	44	64	3
08270208614	SONU KUMAR MAHTO	36455	ETME455	LAB BASED ON ELECTIVE	1	25	49	74	1
08470208614	SURAJ KUMAR MOURYA	36303	ETME303	HEAT TRANSFER	4	18	A	18	0
08470208614	SURAJ KUMAR MOURYA	36351	ETME351	HEAT TRANSFER LAB	1	22	47	69	1
08470208614	SURAJ KUMAR MOURYA	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	20	A	20	0
08470208614	SURAJ KUMAR MOURYA	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER

REGULAR RESULT - DECEMBER, 2017

PAGE NO.: 16

EXAM HELD FOR EQUIVALENCE OF BACHELOR OF TECHNOLOGY (MECHANICAL ENGINEERING)

RESULT DECLARATION DATE : 24.09.2018

INSTITUTION : DELHI INSTITUTE OF TOOL ENGINEERING

EXAM TYPE : EQUIVALENCE

NROLLNO	NAME	PID	PCODE	PAPER TITLE	CREDIT	INT	EXT	TOTAL	CS
08670208614	LAKSHAY KUMAR	36303	ETME303	HEAT TRANSFER	4	23	42	65	4
08670208614	LAKSHAY KUMAR	36351	ETME351	HEAT TRANSFER LAB	1	25	50	75	1
08670208614	LAKSHAY KUMAR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	52	73	3
08670208614	LAKSHAY KUMAR	36455	ETME455	LAB BASED ON ELECTIVE	1	26	48	74	1
08870208614	ALEENA NASEER SIDDIQUEE	36303	ETME303	HEAT TRANSFER	4	18	16	34	0
08870208614	ALEENA NASEER SIDDIQUEE	36351	ETME351	HEAT TRANSFER LAB	1	23	49	72	1
08870208614	ALEENA NASEER SIDDIQUEE	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	21	34	55	3
08870208614	ALEENA NASEER SIDDIQUEE	36455	ETME455	LAB BASED ON ELECTIVE	1	25	48	73	1
09270208614	JITENDRA SINGH	36303	ETME303	HEAT TRANSFER	4	16	09	25	0
09270208614	JITENDRA SINGH	36351	ETME351	HEAT TRANSFER LAB	1	22	48	70	1
09270208614	JITENDRA SINGH	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	19	28	47	0
09270208614	JITENDRA SINGH	36455	ETME455	LAB BASED ON ELECTIVE	1	26	46	72	1
40170208115	MOHD SAIF SABIR	36303	ETME303	HEAT TRANSFER	4	18	44	62	4
40170208115	MOHD SAIF SABIR	36351	ETME351	HEAT TRANSFER LAB	1	25	46	71	1
40170208115	MOHD SAIF SABIR	36409	ETME409	PREVENTIVE MAINTENANCE AND CONDITION MONITORING	3	18	46	64	3
40170208115	MOHD SAIF SABIR	36455	ETME455	LAB BASED ON ELECTIVE	1	25	50	75	1

MAXIMUM MARKS IN EACH SUBJECT : 100

MINIMUM QUALIFYING MARKS IN EACH SUBJECT : 50

ABBREVIATIONS: A - ABSENT C - CANCELLED PID - PAPERID PCODE - PAPER CODE INT - INTERNAL EXT - EXTERNAL CS - CREDIT SECURED RW - RESULT WITHHELD AP - ALREADY PASSED RL - RESULT LATER